ART. 5910 ALUMINIUM FOOTBALL GOAL 6x2 mt M. SECTION 100 X 120 MM. WITH SOCKETS AND ANGLE NET SUPPORT.



This football goal is in accordance to UISP 2007 for dimension of football match in 7 or 8 and also in accordance to UNI EN 748:2005 that specify requirements of functionality and safety.

PRODUCT DESCRIPTION

Football goal dimension 6x2 mt, suitable for football in 7 or 8 matches, realized in aluminium oval section 100x120 mm. To make the football goal even more fixed and hardy, angles are welded and the junctions are made of special alloy 6005. Aluminium sockets are supplied, Angles net supports are made in hot galvanized steel, fastens for net fixing are made in plastic material. The net has to be fixed to the ground.

WARNINGS

- Before starting the assembly or use the system, read carefully instructions and verify the presence of all the components.
- This system has been designed exclusively for football not for others uses;
- Before using football goals control that all fixing are well closed;
- Football goals has to be always insured against overturning;
- Periodically control general condition and safety of the system;
- Do not climb on the football goal structure and net;

MAINTENANCE

- Once a year, control that all the fixings are well closed.
- Once a year control the condition of net's fastens, eventually provide to the replacement.
- Once a year control the football goal condition.
- In case of structural failures or deformations, breaks or anomalies in general, contact immediately the installer or the dealer.

ALUMINIUM FOOTBALL GOAL 6x2 mt

Art. 5910

Aggiornamento nº 0

Data:

Questo disegno è di proprietà della Vivisport S.r.L.E. vietata la riproduzione totale o parziale senza autorizzazioni

	Net support			Post-crossbar junction				Crossbar junction				>	Right half crossbar					Left half crossbar				
sportive Art.			Anchor for net	C		Post socket						Dainfarramant for Connet						Right/left post				6
5910 Aggiornamento nº 0 Pagina: 2/5 Deetro divigio è la proprietà della Vindpert Sri E victora la infredezione totale e parate sinta infredezione totale e parate sinta infredezione Pagina: 2/5	ALUMINIUM FOOTBALL GOAL 6x2 mt			FOOTBALL WEIGHT: 74 KG.	n° 28 washers diam. 8mm.	n° 28 nuts M8	n° 8 nuts M10	n° 24 screws M8x20 r.h.	n° 40 screws M8x25 p.h	n° 4 screws M10x120	n° 4 screws M8x60 e.h	n° 86 anchors for net fixing	n° 4 reinforcements for supports	n° 4 net supports	n° 4 post sockets	n° 2 junctions crossbar	n° 4 junctions post-crossbar	n° 2 left half crossbars	n° 2 right half crossbars	n° 2 left posts	n° 2 right posts	LIST OF COMPONENTS (for 2 football goals)

			Fig. 1
		n° 4 Screws M8x20 mm. R.H.	
VIVISPORT		n° 4 Screws M8x25 plain head Screw M10x120 mm.	
Art. 5910	ALUMINIUM		
Data: 30/08/2011 Aggiornamento nº 0	NUM FOOTBALL GOAL 6x2 mt	 Fix screws to the socket (Fig. 1) Build the plinths and position the socket (Fig. 4-5) Fix screws M10x40 into the sockets (Fig. 1) Fix crossbar and junctions (Fig. 1) Fix post-crossbar junction (Fig. 1) Insert screws M8x20 into the slots (Fig. 1) Fix crossbar to the post and close screws (Fig. 1) Fix the net support (Fig. 3) Fix renforcement net support (Fig. 3) Apply net anchors in the slots in a distance of 25 cm. 50 anchors in a football goal. (fig. 8) Fig. 2 Insert screws M8x20 mm r.h. as the drawing below. n° 4 screws each half crossbar n° 2 scres each post 	ASSEMBLY INSTRUCTION:





Questo disegno è di proprietà della Vivisport Siri E' vietata la riproduzione totale o parziale senza autoriz

*